



UNIVERSITY OF HAWAII LIBRARY

THE WEIZMANN SCIENCE PRESS OF ISRAEL

National Council for Research and Development

ISRAEL Journal of BOTANY

Volume 18

1969

~~INDEX~~

Vol. 18, No. 1, 1969

The effect of salinity on permeability of roots to water	J. W. O'Leary	1
Changes in properties of catechol oxidase from chloroplasts following liberation from membranes	Y. Katz and A. M. Mayer	11
Regeneration experiments on the determination of the form of leaves	T. Sachs	21
The effect of aflatoxin on greening of etiolated leaves	I. Slowatizky, A. M. Mayer and A. Poljakoff-Mayber	31
BOOK REVIEWS	A. Ashri, E. Galun, A. M. Mayer and Chaia C. Heyn	37

Vol. 18, No. 2, 1969

Morpho-ecological studies on <i>Gladiolus segetum</i> Gawl	J. Galil	43
Methods for observations on resin droplets in resin duct cells of <i>Pinus halepensis</i> Mill	A. Witztum and E. Zamski	55
Cytotaxonomic polymorphism in the <i>Allium erdelli</i> group	Fania Kollmann	61
The mycoflora of fresh and subsequently stored groundnut kernels on various soil types	A. Z. Joffe and N. Lisker	77
Physiological and morphological differences between populations of <i>Blepharis persica</i> (Burm.) Kuntze	Y. Gutterman, A. Witztum and M. Evenari	89
BOOK REVIEWS	A. Ashri and S.K.	97

Vol. 18, No. 3, 1969

Effect of variations in substrate salinity on the water balance and ionic composition of bean leaves	A. Meiri and Alexandra Poljakoff-Mayber	99
Pyrimidine analogues and nucleic acid synthesis in <i>Spirodela</i>	D. Rimon, J. Gressel and E. Galun	113
Estimation of water stresses in the root zone by the double-root system technique	Y. Waisel and G. Pollak	123
The effect of inhibitors of protein and RNA synthesis on auxin-induced growth	Hannah Nelson, I. Ilan and Leonora Reinhold	129
The effects of lesion development, air temperature and duration of moist periods of sporulation of <i>Pseudoperonospora cubensis</i> in cucumbers	Y. Cohen and J. Rotem	135
The nomenclature of <i>Cordia gharaf</i>	R. D. Meikle	141
BOOK REVIEWS	M. Zohary, T. Sachs, R. Falk and A. W.	145

Vol. 18, No. 4, 1969

Competition between <i>Oryzopsis holciformis</i> (M.B.) Hack and annual plants. I. Performance of <i>Oryzopsis</i> as affected by presence of annuals, nutrient supply and differential sowing times	M. Litav and N. Seligman	149
The expected efficiency of light utilization in plant populations as affected by different selection and competition regimes	D. Cohen	171
Water relations of three warm desert species	N. Stark and L. D. Love	175
A new <i>Origanum</i> from the Isthmic Desert (Sinai): <i>Origanum isthmicum</i> sp.n.	A. Danin	191
Cytotaxonomy of the genus <i>Bromus</i> of Palestine	Ziva Ovadiahu-Yavin	195
An endogenous inhibitor of auxins and kinetin	A. Blumenfeld and S. Gazit	217
BOOK REVIEWS	R., M. Negbi, G. Loebenstein, K. Mendel and M.N.	221

AUTHOR INDEX

- | | |
|---|--|
| <p>Ashri, A., 37, 97</p> <p>Blumenfeld, A., 217</p> <p>Cohen, D., 171</p> <p>Cohen, Y., 135</p> <p>Danin, A., 191</p> <p>Evenari, M., 89</p> <p>Falk, R., 147</p> <p>Galil, J., 43</p> <p>Galun, E., 39, 113</p> <p>Gazit, S., 217</p> <p>Gressel, J., 113</p> <p>Gutterman, Y., 89</p> <p>Heyn, Chaia C., 41</p> <p>Ilan, I., 129</p> <p>Joffe, A. Z., 77</p> <p>Katz, Y., 11</p> <p>Kollmann, Fania, 61</p> <p>Lisker, N., 77</p> <p>Litav, M., 149</p> <p>Loebenstein, G., 222</p> <p>Love, L. D., 175</p> | <p>Mayer, A. M., 11, 31, 40</p> <p>Meikle, R. D., 141</p> <p>Meiri, A., 99</p> <p>Mendel, K., 224</p>
<p>Nelson, Hannah, 129</p> <p>Negbi, M., 222</p>
<p>O'Leary, J. W., 1</p> <p>Ovadiahu-Yavin, Ziva, 195</p>
<p>Poljakoff-Mayber, A., 31, 99</p> <p>Pollak, G., 123</p>
<p>Reinhold, Leonora, 129</p> <p>Rimon, D., 113</p> <p>Rotem, J., 135</p>
<p>Sachs, T., 21, 146</p> <p>Seligman, N., 149</p> <p>Slowatizky, I., 31</p> <p>Stark, N., 175</p>
<p>Waisel, Y., 123</p> <p>Witztum, A., 55, 89</p>
<p>Zamski, E., 55</p> <p>Zohary, M., 146</p> |
|---|--|

SUBJECT INDEX

A

- Absciscic acid, 219-220
Aegilops sp., 152
Aeluropus litoralis (Willd.) Parl., water stress
 in the root zone, 125 et seq.
 Aflatoxin, effects on greening, 31 et seq.
Algae and Fungi, a book review, 147
Alliotypus Dumortier, 61
Allium carmeli Boiss., 61 et seq.
 erdelii group, cytotaxonomic polymorphism,
 61 et seq.
 var. *roseum* Boiss., 62 et seq.
 var. *pilosum* Pampanini, 62 et seq.
 var. *lasiophyllum* Nábělek, 62 et seq.
 var. *micranthum* Oppenheimer, 62 et seq.
 var. *hirtellum* Oppenheimer, 62 et seq.
 neapolitanum Cyr., 61
 negevense Kollm. sp. nov., 61 et seq.
 qasyunense Mout., 61 et seq.
 subhirsutum L., 61
 Anatomy, plant, a book review, 146
 Annuals, competition with *Oryzopsis holci-*
 formis (M.B.) Hack, 149 et seq.
Arachis hypogea L., kernel mycoflora, 77
 et seq.
Artemisia herba-alba Assoc., 73
Aspergillus, mycoflora of *Arachis hypogea* ker-
 nels, 77 et seq.
 flavus Link, 77 et seq.
 niger Van Tieghem, 77 et seq.
 repens (Cda.) Sacc., 77 et seq.
 ruber (Konig, Spieckermann & Brenner)
 Tohm & Church, 77 et seq.
Astoma seselifolium Dc., 192
Atriplex hymenelytra (Torr.) Wats., water
 relations, 175 et seq.
 Auxin, induced growth, effects of metabolic
 inhibitors, 129 et seq.
 Auxin, inhibitor, in annona fruit, 219
 in avocado fruit, 217
 in guava fruit, 219
 in mango fruit, 219
 in persimmon fruit, 219
 in tobacco leaf, 219

- Avena sterilis* L., competition with *Oryzopsis*
 holciformis, 149 et seq.
 Avocado, see *Persea americana*

B

- Ballota undulata* (Fresen.) Bth., 73
 Batha, *Bromus* species from, 195 et seq.
 Bean, see *Phaseolus vulgaris* L.
Blepharis ciliaris (L.) Burt, 73
 physiological and morphological differences
 between populations, 89 et seq.
 persica (Burm.) Kuntze, see *Blepharis ciliaris*
 Breeding, plants, book reviews, 37, 97
Bromus spp., 152
 cytotaxonomy, Israel species, 195 et seq.
 albidus M.B., 211
 alopecurus Poir., 195 et seq.
 var. *calvus* Hal., 209 et seq.
 var. *poiretianus* Maire et Weiller, 209 et seq.
 arvensis L., 212
 brachystachys Horn, 195 et seq.
 brizaeformis F. and M., 212
 cappadocicus Boiss. & Bal., 211
 commutatus Schrad., 212
 danthoniae Trin., 195 et seq.
 var. *danthoniae*, 209 et seq.
 var. *lanuginosus* Rozhev., 209 et seq.
 diandrus Roth, 195 et seq.
 erectus Huds., 211
 fasciculatus Presl., 195 et seq.
 var. *alexandrinus* Thell., 204 et seq.
 var. *fallax* Maire, 205 et seq.
 hordeaceus L., 212
 intermedius Guss., 212
 japonicus Thunb., 195 et seq.
 var. *japonicus*, 207
 var. *velutinus* (Koch) Bornm., 207
 lanceolatus Roth, 195 et seq.
 var. *lanuginosus* (Poir.) Dinsm., 209 et seq.
 madritensis L., 195 et seq.
 ssp. *madritensis*, 202 et seq.
 var. *victorini* (Sinnen et Mauritio) Maire,
 202 et seq.
 var. *ciliatus* Guss., 202 et seq.

ssp. *delilei* (Boiss.) Maire et Weiller, 202 et seq.
 var. *villiglumis* Maire et Weiller, 202 et seq.
 var. *glabriglumis* Maire et Weiller, 202 et seq.
mollis L., 212
oxyodon Schrenk, 212
palaestinus (Meld.) Meld., 195 et seq.
racemosus L., 212
rigidus Roth, 195 et seq.
 ssp. *rigidus*, 199 et seq.
 ssp. *gussonei* (Parl.) Maire, 199 et seq.
rubens L., 196 et seq.
 var. *rubens*, 203 et seq.
 var. *glabriglumis* Maire, 203 et seq.
scoparius L., 196 et seq.
 var. *scoparius*, 207 et seq.
 var. *villiglumis* Maire et Weiller, 207 et seq.
secalinus L., 212
squarrosus L., 212
sterilis L., 196 et seq.
syriacus Boiss. et Bl., 195 et seq.
tectorum L., 196 et seq.
 var. *tectorum*, 198 et seq.
 var. *hirsutus* Regel, 198 et seq.
tomentellus Boiss., 195 et seq.
variegatus M.B., 211

C

Canopy, efficiency of light utilization, 171
 Catechol oxidase, from chloroplasts, properties, 11 et seq.
 Cells, resin duct, droplets in, 55 et seq.
 Chemotaxonomy, a book review, 40 et seq.
 Chlorophyll synthesis, aflatoxin effects, 31 et seq.
 Chloroplasts
 catechol oxidase from, 11 et seq.
 development, aflatoxin effects, 31 et seq.
 Chromosomes
 in *Bromus* spp., 195 et seq.
 in *Allium erdelii* group, 73 et seq.
Codonoprasum (Rchb.) Endl., 61
 Competition
 Oryzopsis holciformis and annuals, fertilizers, edaphic and sowing date effects, 149 et seq.
 light, utilization efficiency, 171 et seq.
Cordia gharaf Aschers., nomenclature and dis-

tribution, 141 et seq.
 rothii Roemer et Schultes, 141 et seq.
 Corms, *Gladiolus segetum*, development, 43 et seq.
 Cornus, see *Cordia*
 Cucumbers, see *Cucumis sativus* L.
Cucumis sativus L., *Pseudoperonospora cubensis* (Berk et Curt.) Rostow in, 135 et seq.
Cynodon dactylon (L.) Pers., 150 et seq.
 Cytotaxonomy
 Bromus from Israel, 195 et seq.
 polymorphism, *Allium erdelii* group, 61 et seq.

D

Dactylis glomerata L., 150
 Dead Sea, *Cordia rothii* Roemer & Schultes, from, 142
 Depth, *Gladiolus segetum* Gawl., development, 46, et seq.
 DNA synthesis, inhibition by pyrimidine analogues, 113 et seq.
 Deserts, plant water relationships, 175 et seq.
 Development, *Gladiolus segetum* Gawl., 43 et seq.
 Dew, utilization by desert species, 175 et seq.
 Drought
 salinity, 1 et seq.
 resistance, desert species, 175 et seq.
 Duckweed, see *Spirodela oligorrhiza* (Kurz) Hegelm

E

Ecology
 Allium erdelii group, 61 et seq.
 Bromus species, 195 et seq.
 Gladiolus segetum Gawl., 43 et seq.
 Origanum isthmicum, Danin, sp. nov., 192
 Ecotypes, *Blepharis ciliaris* (Linn) B.L. Burt, 89 et seq.
 Enzymes, chloroplast catechol oxidase, 11 et seq.
Euoriganum Bth., 191 et seq.
 Evolution, plant, a book review, 147

F

Fertilizers, effects on competition, 149 et seq.
 Flowering
 Blepharis ciliaris (L.) Burt, 89 et seq.

- competition and sowing date effects, 160 et seq.
Fumana thymifolia (L.) Spach., 193
 Fungi, and Algae, a book review, 147
Fusarium, mycoflora of *Arachis hypogea* L kernels, 77 et seq.
equiseti (Cda.) Sacc., 80 et seq.
oxysporum Schlecht. emend. Snyder & Hansen, 80 et seq.
solani (Mart.) App. & Wr. emend. Snyder & Hansen, 80 et seq.

G

- Garigue, *Bromus* species, 195 et seq.
 Genetics
 biochemical, a book review, 37
 molecular, a book review, 146
 Geophytes, morpho-ecological studies, 43 et seq.
 Germination, *Blepharis ciliaris* (L.) Burtt ecotypes, 89 et seq.
Gladiolus segetum Gawl, morpho-ecological studies, 43 et seq.
 Grasslands, competition, 149 et seq.
 Greening, aflatoxin effects, 31 et seq.
 Groundnut, see *Arachis hypogea* L.
 Growth, auxin-induced, metabolic inhibitors, 129 et seq.

H

- Halophytes, water stress estimation in root zone, 125
 Hammadas, *Bromus* species, 196 et seq.
Helianthus annuus L.
 water stress in the root zone, 125 et seq.
 auxin-induced growth, metabolic inhibitors, 129 et seq.
 Histochemistry, resin droplets in resin duct cells, 55 et seq.
Hordeum bulbosum L., 150
 Hydrophytes, *Bromus* species, 196 et seq.
Hyparrhenia hirta (L.) Stapf, 168

I

- Inhibitor, endogenous, of auxin and kinetin, 217 et seq.
 Ion composition
 leaves, salinity and age effects, 99 et seq.

- effects on water stress in root zone, 11 et seq.
 Irano-Turanian territory
 Bromus species from, 195 et seq.
 Gladiolus segetum Gawl. from, 43 et seq.
 Israel
 Blepharis ciliaris (L.) Burtt ecotypes from, 89 et seq.
 Bromus species from, cytotaxonomy, 19 et seq.
 mycoflora of *Arachis hypogea* L. kernels, 77 et seq.

J

- Juniperus phoenicea* L., 192

K

- Kinetin, inhibitor, in avocado fruit, 217 et seq.

L

- LAI (leaf area index), light utilization, efficiency, 171 et seq.
Larrea divaricata Cav., water relations, 171 et seq.
 Leaves
 determination, regeneration experiments, 21 et seq.
 greening, aflatoxin effects, 31 et seq.
 ionic composition, salinity and age effects, 99 et seq.
 moisture content, desert species, 175 et seq.
 resistance to gas diffusion, salinity effects, 4 et seq.
 tendrils, 21 et seq.
 Lesion development, sporulation, 135 et seq.
 Light
 sheath leaf growth inhibition, 45
 utilization efficiency, selection and competition regimes, 171 et seq.
Lolium rigidum Gaud., 165

M

- Maize, see *Zea mays* L.
 Maquis, *Bromus* species, 195 et seq.
Medicago sp., 150
 Mediterranean territory
 Allium erdelii group from, 61 et seq.

Bromus species from, 198 et seq.
Gladiolus segetum Gawl. from, 43 et seq.
Gladiolus segetum Webb et Benth., 61
 membranes, bonded catechol oxidase, 11 et seq.
 methods
 double-root system, water stress estimation
 in the root zone, 123 et seq.
 resin droplets, observations in resin duct
 cells, 55 et seq.
 oist, period duration effects on sporulation,
 135 et seq.
 oisture content, see water content
 oly End., 61
 morphogenesis, regeneration and form deter-
 mination in leaves, 21 et seq.
 orphology
Gladiolus segetum Gawl. ecology, 43 et seq.
 population differences, *Blepharis ciliaris*
 (L.) Burtt, 89 et seq.
 ycoflora, of *Arachis hypogea* L. kernels, soil
 effects, 77 et seq.

N

egev, *Allium negevense* Kollm., sp. nov. from,
 61 et seq.
 omenclature, *Cordia gharaf* Aschers, 141
 et seq.

O

Oryzopsis isthmica Danin, sp. nov., from Sinai,
 191 et seq.
Oryzopsis holciformis (M.B.) Hack, competi-
 tion with annual plants, 149 et seq.
Oryzopsis (L.) Asch. & Schw., 150
 smotic adjustment
 salinity, 6 et seq.; 99 et seq.; 127 et req.
 age, 104 et seq.
 xidases, catechol, from chloroplasts, 11 et seq.

P

alestine, see Israel
 ea, see *Pisum sativum* L.
Penicillium, mycoflora of *Arachis hypogea* L.
 kernels, 77 et seq.
Panicum, 81
rubrum, 81
steckii, 81
 ermeability, water, salinity effects, 1 et seq.

Persea americana Mill., inhibitor of auxin and
 kinetin in the fruit, 217 et seq.
Peucephyllum schottii (Gray) Gray water
 relations, 175 et seq.
Phaseolus vulgaris L.
 water permeability of roots, salinity effects,
 1 et seq.
 water balance and ionic composition of
 leaves, salinity effects, 99 et seq.
 Phenology, desert species, water relations, 185
Phleum subulatum (Sevi) A. & G., 151
Phlomis brachyodon (Boiss.) Zohary, 73
 Physiology
 plant, a book review, 97.
 population differences in *Blepharis ciliaris*
 (L.) Burtt, 89 et seq.
 Phytochemistry, a book review, 39
 Phytopathology, *Pseudoperonospora cubensis*
 (Berk and Curt.) Rostow, in cucumber, 135
 et seq.
Pinus halepensis Mill., resin droplets in resin
 duct cells, 55 et seq.
Pisum sativum var. *arvense* Poir., regeneration
 experiments on leaf form determination,
 21 et seq.
 Plowing, *Gladiolus segetum* Gawl, survival, 43
 et seq.
 Polymorphism, cytotoxic, *Allium erdelii*
 group, 61 et seq.
Poterium spinosum L., 73
 Protein synthesis
 inhibitors, effects on auxin-induced growth,
 129 et seq.
 pyrimidine analogues inhibitors, 113 et seq.
Pseudoperonospora cubensis (Berk et Curt.)
 Rostow, sporulation and lesion development,
 air temperature and moisture effects, 135
 et seq.
Pyrophorae, 141 et seq.

R

Regeneration, leaf form determination, 21
 et seq.
 Relative water content (RWC), see water con-
 tent
 Reproduction, vegetative, *Gladiolus segetum*
 Gawl., 47 et seq.
 Resin, droplets in resin duct cells, 55 et seq.
Rhizoctonia sp., 81
Rhizopus, mycoflora of *Arachis hypogea* L.
 kernels, 77 et seq.

- nigricans* Ehrenberg, 81
oryzae Went & Yerlings, 81
 RNA synthesis
 inhibitors, effects on auxin-induced growth, 129 et seq.
 pyrimidine analogues, inhibitors, 113 et seq.
 Roots
 contractile, *Gladiolus segetum* Gawl., 48 et seq.
 exudate, salinity effects, 3 et seq.
 water permeability, salinity effects, 1 et seq.
 Ruderals, *Bromus* species, 196

S

- Saharo-Sindian territory, *Bromus* species from, 195 et seq.
 Salinity
 leaf ionic composition and water balance, 99 et seq.
 water permeability in roots, 1 et seq.
 water stress in root zone, 125 et seq.
Salvia dominica L., 73
Sclerotium sp., 81
 Seed production, efficiency of light utilization, 171 et seq.
 Segetals, *Bromus* species, 196 et seq.
 Selection, light utilization efficiency, 171 et seq.
 Sheath leaves, development, *Gladiolus segetum* Gawl., 44 et seq.
 Sinai, *Origanum isthmicum* Danin, sp. nov. from, 191 et seq.
 Sociology, plant, a book review, 145 et seq.
 Soil
 Allium erdelii group, distribution, 61 et seq.
 Bromus species, distribution, 196
 competition, 157 et seq.
 moisture, water relations of desert species, 175 et seq.
 types, mycoflora on *Arachis hypogaea* L. kernels, 77 et seq.
 Soybean callus bioassay, 217 et seq.
Spirodela oligorrhiza (Kurz) Hegelm., effects of nucleic acid synthesis by pyrimidine analogues, 113 et seq.
 Sporulation, *Pseudoperonospora cubensis* (Berk et Curt.) Rostow, 135 et seq.
 Staining, resin droplets in resin duct cells, 55 et seq.

- Stenobromus* (Griseb.) Hackel, 195 et seq.
 Steppes, *Bromus* species from, 196
 Storage, effects on mycoflora of *Arachis hypogaea* L. kernels, 77 et seq.
 Stress, water, estimation in the root zone, 1 et seq.
 Sunflower, see *Helianthus annuus* L.
 Survival, plowing, *Gladiolus segetum* Gawl., 43 et seq.

T

- Techniques, see methods
 Temperature
 air, sporulation, 135 et seq.
 soil, plant water relations, 175 et seq.
 Tendril, see leaves
 Transpiration, desert species, 175 et seq.
Trifolium sp., 150
 campestre Schreb., 165
 Turgor, salinity, 99 et seq.

W

- Water
 content, leaves, salinity effects, 5 et seq.
 99 et seq.
 kernels of *Arachis hypogaea* L., effects on mycoflora, 77 et seq.
 movement through root systems, 3 et seq.
 permeability, salinity effects, 1 et seq.
 relations, desert species, 175 et seq.
 Weeds, *Gladiolus segetum* Gawl., morpho-ecological studies, 43 et seq.
 Wheat coleoptile bioassay, 217 et seq.
 Wilting point, water stress in root zone, 12 et seq.

Y

- Yield
 efficiency of light utilization, 171 et seq.
 fertilizers and competition effects, 149 et seq.

Z

- Zea mays* L., aflatoxin effects on greening, 3 et seq.
Zeobromus (Griseb.) Hackel, 195 et seq.
Zerna (Panzer) Ascherson & Graebner, 19 et seq.